

## ASP668BT


**OWNER'S MANUAL** 

取扱説明書

Thank you for choosing ADDZEST for your car mobile audio products, your satisfaction is very important to us. If you have any questions or comments you are welcome to call, ADDZEST representatives are more than happy to assist you.

あなたの車のモバイルオーディオ製品にADDZESTを選んでくれてありがとう、あなたの満足は私たちにとって非常に 重要です。

ご不明な点やご意見がございましたら、ADDZESTの担当者が喜んでお手伝いいたします。



#### **Product Features:**

#### 製品の特徴:

- Appearance design adopts stepped heat dissipation aluminum shell;
  - ・外観設計は段付き放熱アルミシェルを採用。
- High-power amplifier, DSP processor, and lossless music player are integrated products.
- ・ハイパワーアンプ、DSPプロセッサ、ロスレスミュージックプレーヤーが統合された製品です。 Product parameters:

Size Specifications: 302mm x 180mm x 52mm

High level input impedance: 45; High level input voltage: 9V; voltage range: 9V-15V; RCA output voltage: 4V; Total harmonic distortion: < 0.03%; Audio output: 7CH-8CH;

EQ configuration: 31; Software configuration: Mobile terminal/PC

terminal;

Audio input signal sample rate: 96KHz; Frequency Range: 20Hz-22KHz;


Bass boost:  $\pm 12dB$ ;

power output: 1CH-4CH Class AB 55w\*4 4 5CH-6CH Class D 100w\*2 4


Audio input signal support: digital optical signal x 1; AUX audio signal x 1; high level signal 6CH;

Audio playback supported format: WAV\FLAC\APE\WMA\MP3.

### Connecting your ASP668BT ASP668BTを接続する



```
30A Fuse;
+12V Positive input;
ACC Start input;
GND Negative input;
5CH-6CH Signal output;
Music bluetooth connection signal light;
```




5CH+Signal output; 5CH-Signal output; 6CH+Signal output; 6CH-Signal output;

```
OUTPUT
   RR+ Rear right+ signal output;
                                          RR- Rear right- signal output;
                                                                                            ADDLE
   FL+ Front left+ signal output;
                                          FL- Front left- signal output;
                                          RL- Rear left- signal output;
   RL+ Rear left+ signal output;
                                          FR- Front right- signal output;
   FR+ Front right+ signal output;
                                                                                   0000000000
HIGH INPUT
                                                                                   000000000
   FR- Front right- Signal input;
                                          FL- Front left- Signal input;
   FR+ Front right+ Signal input;
                                          FR+ Front right+ Signal input;
                                          RR- Rear right- Signal input;
   RL- Rear left- Signal input;
                                                                                  1 3 5 6 9 10 13 14 17 18
   RL+ Rear left+ signal input;
                                          RR+ Rear right + signal input;
                                                                                  RR+ RR- RL+ RL- FR- FL- RL- RR- GND +12V
FL- FL- FR+ FR- FR+ FL+ RL+ RR+ REM ACC
POWER
   GND Negative input;
                                        +12V Positive input;
                                                                                  2 4 7 8 11 12 15 16 19 20
   REM Control start line input;
                                       ACC Start signal input.
```

Caution: 1. and wiring ports must be connected before starting the ASP668BT machine; 2. The ports and are designed to communicate with each other. Therefore, when selecting the ACC startup mode, only one of them needs to be connected.

注意:1.ASP668BTマシンを起動する前に、と?の配線ポートを接続する必要があります。2.ポートと?は相互に通信するように設計されています。したがって、ACC起動モードを選択する場合は、そのうちの1つだけを接続する必要があります。


### Connecting your ASP668BT ASP668BTを接続する




RCA audio signal output; AUX audio signal input; OPT optical fiber signal input; USB/PC data cable connection;

USB1 music file mobile device input port; CUI2 control panel input port (eg: NVA200C accessory);

CON3 remote control input port (eg: NVA40BT accessory).






Caution: 1. When using the NVA200C accessories, the WeChat applet control page cannot be used, and you need to remove the NVA200C accessories before using the applet control;

2. When the 5CH-6CH bridge is used to promote the subwoofer, please use the computer software to set any channel of OUT5+ or OUT6+ to reverse phase.

注意:1.NVA200Cアクセサリを使用する場合、WeChatアプレットコントロールページは使用できません。アプレットコントロールを使用する前に、NVA200Cアクセサリを取り外す必要があります。
2. 5CH-6CHブリッジを使用してサブウーファーを宣伝する場合は、
OUT5+またはOUT6+の任意のチャネルを逆位相に設定するコンピュータソフトウェア。



Thank you for choosing ADDZEST for your car mobile audio products, your satisfaction is very important to us. If you have any questions or comments you are welcome to call, ADDZEST representatives are more than happy to assist you.

あなたの車のモバイルオーディオ製品にADDZESTを選んでくれてありがとう、あなたの満足は私たちにとって非常に重要です。

ご不明な点やご意見がございましたら、ADDZESTの担当者が喜んでお手伝いいたします。

# ADDZEST WARNING ADDZEST警告

Years from the original date of purchase, this warranty is non-transferable and applies only to the original retail purchaser. ADDZEST authorized retailer products have been inspected by ADDZEST, if service is required under this warranty for any reason due to a manufacturing defect, ADDZEST Defective products will be repaired or replaced at our sole discretion. This warranty does not cover installation or damage caused by accident, misuse, abuse, improper wiring, recommendations or specifications for operation outside the manufacturer's, or objection to user's Note that adding any opened tampered or modified products, or any serial numbers that have had numbers removed will not be included in any part of the manufacturing warranty. All warranty returns should be sent to ADDZEST freight prepaid and must be accompanied by proof of purchase (Copy of original sales receipt) Unless specifically stated, direct returns from consumers or non-authorized retailers will be denied ADDZEST authorized with a valid return authorization number. All warranty returns should be packaged in the original packaging and must be accompanied by a copy of the original sales receipt. Products damaged in transit will not be covered by this warranty, and the customer or retailer may choose to repair this damage at normal "out of warranty" repair costs. or other damages to the product, including but not limited to hearing, property or personal damage, damage based on inconvenience or loss of using the product, and to the extent permitted by law, damage resulting in personal injury. This warranty gives you specific legal rights and you may also have other rights which vary from country to country. This warranty applies to products sold and used in China, all other countries, please contact your dealer.

当初の購入日から数年間、この保証は譲渡できず、当初の小売購入者にのみ適用されます 。製造上の欠陥により何らかの理由でこの保証の下でサービスが必要な場合、ADDZEST 認定小売製品はADDZESTによって検査されています。欠陥のある製品は、当社の独自の 裁量により修理または交換されます。この保証は、事故、誤用、乱用、不適切な配線、メ ーカー外での操作に関する推奨事項または仕様、またはユーザーの異議申し立てによって 生じた設置または損傷には適用されません。または変更された製品、または番号が削除さ れたシリアル番号は、製造保証のどの部分にも含まれません。すべての保証返品は、前払 いのADDZEST貨物に送付し、購入証明書(元の販売受領書のコピー)を添付する必要が あります。特に明記されていない限り、消費者または許可されていない小売業者からの直 接返品は、有効な返品許可番号で許可されたADDZESTを拒否されます。すべての保証返 品は元のパッケージにパッケージ化する必要があり、元の領収書のコピーを添付する必要 があります。輸送中に損傷した製品はこの保証の対象外であり、顧客または小売業者は、 通常の「保証対象外」の修理費用でこの損傷を修理することを選択できます。または、聴 覚、財産、または個人を含むがこれらに限定されない製品のその他の損傷損傷、製品の不 便または使用の喪失に基づく損傷、および法律で許可されている範囲で、人身傷害につな がる損傷。この保証はあなたに特定の法的権利を与えます、そしてあなたは国ごとに異な る他の権利を持っているかもしれません。この保証は中国、他のすべての国で販売され使 用される製品に適用されます、あなたのディーラーに連絡してください。